

Bila menjawab, sila nyatakan nombor ini.

No. Sebut Harga: MAIS BIL. SH5/2026



MAJLIS AGAMA ISLAM SELANGOR

**PENTING : DOKUMEN MEJA INI HANYA UNTUK RUJUKAN DAN TIDAK DIANGGAP
SEBAGAI DOKUMEN SEBUT HARGA**

**PERKHIDMATAN MEMBEKAL, MENGHANTAR, MEMASANG, MENGUJI,
MENGKONFIGURASI DAN MENTAULIAH GUNA PERKAKASAN ICT UNTUK KEGUNAAN
MAJLIS AGAMA ISLAM SELANGOR (MAIS)**

1. Bagi sebarang pertanyaan teknikal sila rujuk di bawah:

**BAHAGIAN TEKNOLOGI MAKLUMAT
MAJLIS AGAMA ISLAM SELANGOR**

PEGAWAI UNTUK DIHUBUNGI:

ENCIK NORHAFIZ BIN MOHAMAD HUSIN

(Emel: unitperolehan@mais.gov.my)

2. Bagi sebarang pertanyaan berkenaan dokumen sebut harga, sila rujuk di bawah:

**BAHAGIAN BELANJAWAN & PEROLEHAN
MAJLIS AGAMA ISLAM SELANGOR**

PEGAWAI UNTUK DIHUBUNGI:

**PUAN RAJA NURHIDAYAH BINTI RAJA HASSANUDDIN
PUAN RAFKAH BINTI HAJI ASRI**

(Emel: rajahidayah@mais.gov.my)

SPESIFIKASI TEKNIKAL

PERKHIDMATAN MEMBEKAL, MENGHANTAR, MEMASANG, MENGUJI, MENGKONFIGURASI DAN MENTAULIAH GUNA PERKAKASAN ICT UNTUK KEGUNAAN MAJLIS AGAMA ISLAM SELANGOR (MAIS)

BIL.	KETERANGAN ITEM	SPESIFIKASI MINIMUM
1.	Desktop PC	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna dua (2) unit Desktop PC dengan spesifikasi berikut:-
	<i>Processor</i>	<i>Intel core ultra 5 225(10-core)</i>
	<i>Operating System</i>	<i>Windows 11 Pro, English</i>
	<i>RAM</i>	<i>16 GB DDR5-5600 (2 slot)</i>
	<i>Stoarge</i>	<i>512 GB, M.2 PCIe Gen4 NVMe, SSD.</i>
	<i>Monitor</i>	<i>24" Monitor, 1920 x 1080 FHD+Anti-Glare, 144Hz, 2xHDMI 1.4, HDMI Cable, Adjustable Tilt (-5 to +21)</i>
	<i>Graphics</i>	<i>Intel Integrated Graphic</i>
	<i>Mouse</i>	<i>Wireless</i>
	<i>Keyboard</i>	<i>Wireless</i>
	<i>Power Supply</i>	<i>180W Interneal PSU</i>
	<i>Connectivity</i>	<i>Intel Wi-Fi 7 + Bluetooth 5.4</i>
	<i>Port</i>	<i>Front : 1 x USB Type-C 1 x USB 3.2 Gen 1 (Type-A) 1 x Universal Audio Jack Rear I/O 1 x HDMI 2.1 1 x Displayport 1.4a 2 x USB 2.0 1 x RJ45 (1 Gbps)</i>
	<i>Warranty</i>	<i>3 years premium support and onsite service</i>
	<i>Others</i>	<i>Mouse Pad Cable Organizer Please state (if any...)</i>
2.	Notebook Jenis A	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna sebelas (11) unit Notebook PC Jenis A dengan spesifikasi berikut:-
	<i>Processor</i>	<i>Intel core ultra 5 125U</i>

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
	<i>Operating System</i>	<i>Windows 11 Pro</i>
	<i>RAM</i>	<i>16GB LPDDR5</i>
	<i>Storage</i>	<i>512GB M.2 PCIe Gen4 x4 NVMe SSD</i>
	<i>Port</i>	– 2 x USB Type-C (Support Power delivery and Displayport) – 2 x USB 3.2 Gen 1 (Type-A) – 1 x HDMI 2.1 – 1 x Universal Audio Jack – 1 x Wedge-shaped Lock slot
	<i>Display</i>	<i>14" HD</i>
	<i>Camera</i>	<i>1080p at 30fps FHD + IR camera</i>
	<i>Connectivity</i>	<i>Intel Wi-Fi 7 + Bluetooth 5.4</i>
	<i>Graphics</i>	<i>Intel Graphics</i>
	<i>Power Adaptor</i>	<i>65W AC Adapter, 4.5mm Barrel</i>
	<i>Battery</i>	<i>Power adapter with 3 cell or 4 cell support ExpressCharge 2.0</i>
	<i>Include</i>	– Slim Backpack (Fits most laptops up to 15") – Optical Wireless Mouse – Black – Mouse pad – Targus Security cable lock
	<i>Warranty</i>	<i>3 years (onsite, part, labour and Premier Support)</i>
	<i>Lain-lain</i>	<i>Sila nyatakan (jika ada...)</i>
	Notebook Jenis B	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit Notebook PC Jenis B dengan spesifikasi berikut:-
3.	<i>Processor</i>	<i>AMD Ryzen™ AI 9 HX 370 Processor 2.0GHz (36MB Cache, up to 5.1GHz, 12 cores, 24 Threads)</i>
	<i>OS</i>	<i>Windows 11 Pro</i>
	<i>Display</i>	<i>4K (3840 x 2400) OLED 16:10 aspect ratio</i>
	<i>GPU</i>	<i>NVIDIA® GeForce RTX™ 5090 Laptop GPU</i>
	<i>RAM</i>	<i>32GB LPDDR5X on board</i>
	<i>Storage</i>	<i>1TB M.2 NVMe™ PCIe® 4.0 Performance SSD</i>
	<i>Graphics</i>	<i>NVIDIA® GeForce RTX™ 5090 Laptop GPU 24GB GDDR7</i> <i>AMD Radeon™ Graphics</i>

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
	<i>Ports</i>	– 1x USB 3.2 Gen 2 Type-C support display / power delivery – 2x USB 3.2 Gen 2 Type-A – 1x USB 4.0 Gen 3 Type-C support display / power delivery – 1x HDMI 2.1 FRL – 1x 3.5mm Combo Audio Jack – 1x DC-in – SD Express 7.0 card reader
	<i>Keyboard & Touchpad</i>	Backlit Chiclet Keyboard 1.7mm Key-travel Precision touchpad support DialPad
	<i>Network and Communication</i>	Wi-Fi 7(802.11be) (Triple band) 2*2 + Bluetooth® 5.4 Wireless Card
	<i>Battery</i>	90WHrs, 4S1P, 4-cell Li-ion
	<i>Accessories</i>	Backpack Wireless mouse and Wireless headset Mouse pad USB Dock/Hub type-C that support USB type-A, HDMI, RJ45 and audio jack Cable RJ45
	<i>Warranty</i>	3 years (onsite, part, labour and Premier Support)
	<i>Lain-lain</i>	Sila nyatakan (jika ada...)
4.	MacBook	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit MacBook
	Spesifikasi	– 16-inch MacBook Pro (Black) – 16-inch Liquid Retina XDR display². – Nano-texture display. – Apple M5 Pro chip with 14-core CPU, 20-core GPU and 16-core Neural Engine. – 48GB unified memory – 1TB SSD storage – 140W USB-C Power Adapter – Three Thunderbolt 5 ports, HDMI port, SDXC card slot, headphone jack, MagSafe 3 port. – Backlit Magic Keyboard with Touch ID - US English
	Aksesori	– Backpack Oxford cloth waterproof 14 15.6inch laptop backpack – Laptop Cooler Fan Cooling Pad Laptop Cooling Accessories Dual Fans Adjustable Speed With Stand. – Logitech MK250 Bluetooth Wireless Mouse and Keyboard Combo: Fast & Easy Connectivity, Compact Wireless Keyboard

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
		– ADATA SSD <i>Portable Elite</i> SE880 (1TB)
	Warranty	3 years (onsite, part, labour and Premier Support)
	Lain-lain	Sila nyatakan (jika ada...)
5.	Tab	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna tiga (3) unit tab
	OS & UI	<i>Android 13 (upgradable to 17), One UI 6</i>
	<i>Dimensions</i>	253.8 × 165.3 × 5.9 mm
	<i>Weight</i>	498 g
	<i>Build & Durability</i>	<i>Included, ~2.8 ms latency</i>
	<i>Display</i>	<i>11.0" Dynamic AMOLED 2X; 1600 × 2560 px; 120 Hz; HDR10+</i>
	<i>Chipset</i>	<i>Snapdragon 8 Gen 2 for Galaxy (4 nm) Octa-core</i>
	<i>RAM & Storage</i>	<i>8 GB / 12 GB RAM; 128 GB / 256 GB UFS; microSDXC</i>
	<i>SIM & Connectivity</i>	<i>Wi-Fi 6E; 5G SA/NSA Sub-6; Bluetooth 5.3; USB-C 3.2; GPS; NFC, Cellular Model</i>
	<i>Rear Camera</i>	<i>13 MP f/2.0 wide + 8 MP f/2.2 ultrawide; 4K@30fps</i>
	<i>Front Camera</i>	<i>12 MP f/2.2; 4K@60fps</i>
	<i>Audio</i>	<i>Quad stereo speakers (AKG tuned); no 3.5 mm jack</i>
	<i>S Pen</i>	<i>Included, ~2.8 ms latency</i>
	<i>Battery</i>	<i>8400 mAh; 45 W wired charging</i>
	<i>Security</i>	<i>Under-display ultrasonic fingerprint; face unlock</i>
	<i>Include</i>	– <i>Trifold Flip Stand Cover S9 5G</i> – <i>Adaptor and Cable</i>
	Tempoh Jaminan	1 tahun
	Lain-lain	Sila nyatakan (jika ada...)
6.	iPad	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna dua (2) unit iPad
	<i>Make/Model</i>	<i>Ipad Air 11' Wifi + SIM</i>
	<i>Include</i>	– <i>Apple Pencil (USB-C)</i> – <i>Logitech Combo Touch for Ipad Air</i> – <i>Logitech M650 Bluetooth Mouse</i>

BIL.	KETERANGAN ITEM	SPESIFIKASI MINIMUM
		– <i>Screen Protector</i>
	Tempoh Jaminan	1 tahun
	Lain-lain	Sila nyatakan (jika ada...)
7.	Mesin Pengimbas Jenis A	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit mesin pengimbas Jenis A
	<i>Scanning Speed</i>	<i>Greyscale</i> – 200 dpi: 60 ppm (Simplex) / 120 ipm (Duplex) – 300 dpi: 60 ppm (Simplex) / 120 ipm (Duplex) <i>Colour</i> – 200 dpi: 60 ppm (Simplex) / 120 ipm (Duplex) – 300 dpi: 50 ppm (Simplex) / 100 ipm (Duplex)
	<i>Scanning Element</i>	<i>Contact Image Sensor (CIS)</i>
	<i>Light Source</i>	LED
	<i>Scanning Side</i>	<i>Simplex / Duplex</i>
	<i>Scanning Modes</i>	<i>Black and White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, Active Threshold, 256-level Greyscale, 24-bit Colour</i>
	<i>Scanner Features</i>	<i>Double-Feed Detection, Folio Scanning, 2D / Barcode</i>
	<i>Output Resolution</i> ^{*2}	100, 150, 200, 240, 300, 400, 600 dpi
	<i>Suggested Daily Volume (SDV)</i>	7,500 scans a day
	<i>Document Size</i>	<i>Plain Paper</i> – Width: 50 to 216 mm – Length: 54 to 356 mm (Up to 5,588 mm long with Long Document mode) <i>Business Card</i> – 50 x 85 mm or larger <i>Card (ISO Standard)</i> – 54 x 86 mm
	<i>Interface</i>	USB 3.1
	<i>Software</i>	ISIS / TWAIN / WIA Drivers, CaptureOnTouch, Kofax VRS, Power PDF
	<i>Dimensions (W x D x H)</i>	<i>When Trays Are Closed</i> – 285 x 254 x 231 mm <i>When Trays Are Opened</i> – 285 x 652 x 367 mm
	<i>Weight (Approx.)</i>	3.4 kg (Without AC adapter)
	<i>Options / Consumables</i>	<i>Exchange Roller Kit, Carrier Sheet (Passport), Carrier Sheet (A4)</i>
	<i>Accessories</i>	NA10, Flatbed Scanner Unit 102, Flatbed Scanner Unit 201

BIL.	KETERANGAN ITEM	SPESIFIKASI MINIMUM
	Lain-lain	Sila nyatakan (jika ada...)
8.	Mesin Pengimbas Jenis B	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit mesin pengimbas Jenis B
	<i>Scanning Speed</i>	<i>Greyscale</i> – 200 dpi: 25 ppm (Simplex) / 50 ipm (Duplex) – 300 dpi: 25 ppm (Simplex) / 50 ipm (Duplex) <i>Colour</i> – 200 dpi: 25 ppm (Simplex) / 50 ipm (Duplex) – 300 dpi: 15 ppm (Simplex) / 30 ipm (Duplex)
	<i>Scanning Element</i>	<i>Contact Image Sensor (CIS)</i>
	<i>Light Source</i>	LED
	<i>Scanning Side</i>	<i>Simplex / Duplex</i>
	<i>Scanning Modes</i>	<i>Black and White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-level Greyscale, 24-bit Colour</i>
	<i>Scanner Features</i>	<i>Folio Scanning, 2D / Barcode</i>
	<i>Output Resolution</i> ^{*2}	150, 200, 300, 400, 600 dpi
	<i>Suggested Daily Volume (SDV)</i>	1,500 scans a day
	<i>Document Size</i>	<i>Plain Paper</i> – Width: 50.8 to 216 mm – Length: 53.9 to 356 mm (Up to 3,000 mm long with Long Document mode)
		<i>Business Card</i> – 50.8 x 53.9 mm or larger (Vertical feeding only)
		<i>Card (ISO Standard)</i> – 53.9 x 85.5 mm (Horizontal feeding only)
	<i>Interface</i>	USB 2.0
	<i>Software</i>	ISIS / TWAIN Drivers, CaptureOnTouch, Cardiris
	<i>Dimensions (W x D x H)</i>	<i>When Trays Are Closed</i> – 285 x 254 x 231 mm
		<i>When Trays Are Opened</i> – 285 x 652 x 367 mm
	<i>Weight (Approx.)</i>	2.7 kg (Without AC adapter)
	<i>Options / Consumables</i>	<i>Exchange Roller Kit</i>
	<i>Accessories</i>	<i>Flatbed Scanner Unit 102, Flatbed Scanner Unit 201</i>
	Lain-lain	Sila nyatakan (jika ada...)
9.	Kamera DSLR Jenis A	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit Kamera DSLR Jenis A

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
	Spesifikasi	– 33MP Full-Frame Exmor R BSI Sensor – Shooting Up to 10 fps, ISO 50-204800 – 10-Bit Full-Frame 4K30p Video. – S-Log3, S-Gamut3, S-Cinetone, User LUTs – 7 Stops of In-Body Image Stabilization – 759-Point Phase Detection, 94% Coverage – 2.36m-Dot OLED Electronic Viewfinder – 2.36m-Dot OLED Electronic Viewfinder
	Lens	SIGMA 24-70MM F/2.8 DG DN II Art Lens (VERSION) II MARK II MARK2 Mount Full Frame Format – Full-Frame f/2.8 to f/22 – Fast & Lightweight Wide-to-Tele Zoom – HLA Autofocus – 6.7" Minimum Focusing Distance – Aperture Ring with Click & Lock Switches – FLD, SLD & Aspherical Elements – Nano Porous & Super Multilayer Coatings – Dust & Splash Resistant
	SDXC Card	SUNEAST SDXC Card [V60] UHS-II Max R 280MB/s U3 4K UHD Ultimate Pro (512GB) – UHS-II technology (U3) transfer speed up to 280MB/s (FD156, HD312) – V60 compatible for long-term recording of high-quality images, Full HD, and cinema-quality 4K videos – SD/SDHC/SDXC UHS-I compatible (SDR12, SDR25, SDR50, DDR50, SDR104)
	Battery	K&F dual charger + battery combo – Battery Capacity: 7.4V 2280mAh 16.8Wh – Charging Port: USB / Type-C – Input: 5V 2.1A – Output: 8.4V 700mA * 1, 8.4V 500mA x2 – Packing List: • 1 x Battery Charger • 2 x Batteries • 1 x Type-C Charging Cable
	Tempered Glass	Tempered Glass Screen Protector For Clear HD
	Backpack	PULUZ Outdoor Dual Shoulders Backpack Handheld PTZ Stabilizer Camera Bag For Digital Camera/DJI Ronin-SC/Ronin – Size: 31x15x45 cm – Waterproof – Padded with sponge plate
	Camera Flash	Godox V1 TTL On-Camera Round Flash Speedlight – Dimensions: 76x93x197mm – Weight Without Battery: 420g – Weight With Battery: 530g – Exposure control system: E-TTL II auto flash and manual flash
	Microphone	Hollyland Lark M2S Combo – Mic Sensitivity: -37 dBV ± 2dB @1 KHz, 94dB

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
		SPL <i>Transmission Range</i> – Mobile Version: Up to 300m (1,000ft) for LOS / 60m (200ft) for NLOS – Camera Version: Up to 300m (1,000ft) for LOS / 40m (130ft) for NLOS <i>Battery Capacity</i> – TX: 85 mAh – Camera Version RX: 145 mAh – Mobile Version Charging Case: 680 mAh – Combo Version Charging Case: 1300 mAh
	<i>Lens Filter</i>	K&F Concept ND4-ND64 (2-6 Stop) Variable ND Filter and CPL Circular Polarizing Lens Filter 2 in 1 – Lens Filter Type: Neutral Density Filters – 82mm size filter – Putter Adjustable Design Frame – oxidation sandblasting
	<i>Tripod</i>	ZOMEI Q188 187cm Professional Tripod Light-Weight Metal – Material: Aluminum alloy tube+ABS environmental plastic – Folded Volume: 49x10x10cm – Tripod max height: 187cm / 73.6inch – Max. tube diameter: 23mm / 0.9in – Load capacity: 5kg / 11Lb – Item weight: 1.3kg / 2.86Lb – Packing List: Tripodx1, Carry Bagx1, Original Box
	<i>Power Bank</i>	CUKTECH 20000mAh 55W Fast Charging Built in Cable – Battery Type: Lithium-ion polymer battery – Capacity: 20000mAh / 74Wh (7.4V × 10000mAh) – Rated Capacity: 11000mAh (5V/3A) – Battery Energy (Rated/Typical): 74Wh / 75.5Wh (7.4V 10Ah / 10.2Ah) – Battery Cell Capacity: TYP: 10200mAh / Min: 10000mAh – Size: 162 × 72 × 29.6 mm – Weight: 499.4g – Display: Digital Display – Output Ports: 3 (USB-C ×1, Built-in USB-C Cable ×1, USB-A ×1) – Connector Type: USB-C ×1 + Built-in USB-C ×1 + USB-A ×1
	<i>Camera Gimbal</i>	ZHIYUN Cinepeer Weebill 3E - Camera Gimbal Stabilizer For DSLR & Mirrorless Camera 3 Axis, 3KG Payload, Native Vertical Shooting – kg (6.6 lbs) Payload – Ultra-compact and Lightweight: Just 990g and A4-sized – Bluetooth Shutter: Wireless control without complicated cables

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
		– <i>Integrated OLED Display: 0.96-inch screen</i> – <i>Customizable Buttons: Rapidly toggle between shooting modes</i> – <i>Sling Mode 2.5: Reduce perceived fatigue by more than 40%</i>
	<i>Cabinet Box</i>	GS DryBox 18L/35L/60L Camera Lens Digital Dry Cabinet Box LCD Display Dehumidifier 18 Litre – Brand: GS – Warranty Type: Supplier Warranty – Warranty Duration: 5 Years – Volume Capacity: 35L, 60L – Dimension (L x W x H) 32cm x 29cm x 41.5cm
	<i>Cleaning Kit</i>	6-in-1 Professional Camera Cleaning Kit Soft Dust Cleaner – Item Name: Professional Camera Cleaning Kit – Material: ABS+PC+Cloth – Size: As Pictures Shown – Quantity: 6 Pcs/set
	<i>Camera Strap</i>	Camera Neck Shoulder Strap Sling Belt with Quick Release For DSLR Digital SLR Camera – Material: Nylon Webbing, Synthetic rubber, Aluminum alloy – Size: Adjustable – Color: Black
	Lain-lain	Sila nyatakan (jika ada...)
10.	Kamera DSLR Jenis B	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit Kamera DSLR Jenis B
	<i>Sensor Type</i>	45.7MP Full-Frame Stacked CMOS (No Mechanical Shutter)
	<i>Image Processor</i>	EXPEED 7
	<i>ISO Sensitivity</i>	64 – 25,600 (Expandable to 32 – 102,400)
	<i>Burst Shooting</i>	20 fps (RAW), 30 fps (Full JPEG), 120 fps (11MP JPEG)
	<i>Video Resolution</i>	8.3K up to 60p (Internal N-RAW), 4K up to 120p
	<i>Video Bit Depth</i>	12-bit (N-RAW/ProRes RAW HQ), 10-bit (ProRes 422 HQ / H.265)
	<i>Autofocus System</i>	493-point Phase-Detect AF with AI Subject Detection
	<i>Stabilization</i>	5-axis IBIS (up to 6 stops with Synchro VR)
	<i>Viewfinder (EVF)</i>	3.69M-dot OLED, Blackout-free, 3000 nits brightness
	<i>Rear Display</i>	3.2" 4-axis Tilting Touchscreen (2.1M-dot)
	<i>Storage Slots</i>	1x CFexpress Type B / XQD + 1x SD (UHS-II)
	<i>Connectivity</i>	Dual USB-C (Data + Power), Full-size HDMI (Type A)

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
	<i>Battery</i>	<i>EN-EL15c (~340 shots CIPA rating)</i>
	<i>Weight</i>	<i>~910g (Body with battery and card)</i>
	<i>Lain-lain</i>	<i>Sila nyatakan (jika ada...)</i>
11.	Telefon Pintar (Smartphone) beserta aksesori	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit telefon pintar (smartphone) beserta aksesori dengan spesifikasi berikut:-
	<i>Spesifikasi</i>	– Warna Biru – Storage 512GB – Cable type C
	<i>Phone Case</i>	– Silicone – MagSafe Compatibility
	<i>Charger</i>	– Anker Zolo PD 30W Fast Charger GaN 20W Charger – Lightning, Type C – 30W Fast Charger
	<i>Microphone</i>	<i>Lark Max 2</i>
	<i>Audio Quality</i>	– Sample Rate / Bit Depth: 48 kHz / 24-bit – Frequency Response : 20 Hz – 20 kHz – Max SPL: 128 dB (Excellent for loud environments) – Signal-to-Noise Ratio: 70 dB
	<i>Recording</i>	– Internal Storage: 8GB per transmitter – Recording Time: ~14 hours of uncompressed WAV files
	<i>Transmission</i>	– Wireless Tech: 2.4GHz Adaptive Frequency Hopping (AFH) – Range (Line-of-Sight): 820ft (250m) – Range (Non-LOS): 197ft (60m)
	<i>Battery</i>	– TX Operating Time: 7.5 hours – RX Operating Time: 9 hours – Total with Case: 22 hours (Standard Duo kit) – Charging Time: < 2 hours for full charge
	<i>Physical</i>	– TX Weight: 33g (1.16 oz) – RX Weight: 60g (2.1 oz) – RX Display: 1.1" AMOLED Touchscreen
	<i>Connectivity</i>	– Outputs: 3.5mm TRS, USB-C (UAC), Lightning – Monitoring: 3.5mm Headphone jack on Receiver
	<i>Power bank</i>	– Nexode (SKU: 35527) – Up to 15W (MagSafe Compatible) – 145W Max (USB-C1: 100W, USB-C2: 45W) – 2x USB-C, 1x USB-A – 65W (approx. 2 hours for full charge) – TFT Smart Screen (Detailed volts/amps/time) – 555g – Power users carrying a laptop, tablet, and phone.

BIL.	KETERANGAN ITEM	SPEKIFIKASI MINIMUM
	Lain-lain	Sila nyatakan (jika ada...)
12.	Telefon Pintar (Smartphone)	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna satu (1) unit telefon pintar (smartphone) dengan spesifikasi berikut:-
	Spesifikasi	- Warna Biru - Storage 512GB - Cable type C
	Phone Case	- Silicone - MagSafe Compatibility
	Charger	- Anker Zolo PD 30W Fast Charger GaN 20W Charger - Lightning, Type C - 30W Fast Charger
	Lain-lain	Sila nyatakan (jika ada...)
13.	Drum Printer	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna sepuluh (10) unit drum printer dengan spesifikasi berikut:-
	Spesifikasi	OKI Image Drum B412 atau setara
	Lain-lain	Sila nyatakan (jika ada...)
14.	PC Monitor	Penyebut harga hendaklah membekal, menghantar, memasang, menguji, mengkonfigurasi dan mentauliah guna lima (5) unit PC Monitor dengan spesifikasi berikut:-
	Display	24
	Viewable Area (in.	23.8
	Panel type	IPS
	Resolution Type	FHD
	Static Contrast Ratio	1,000:1 (typ)
	Dynamic Contrast Ratio	50M:1
	Light Source	LED
	Brightness	250 cd/m2 (typ)
	Colors	16.7M
	Color Space Support	8 bit
	Aspect Ratio	16:09

BIL.	KETERANGAN ITEM	SPESIFIKASI MINIMUM
	<i>Response Time (Typical GTG)</i>	<i>1ms</i>
	<i>Viewing Angles</i>	<i>178° horizontal, 178° vertical</i>
	<i>Backlight Life (Hours)</i>	<i>30000 Hrs (Min)</i>
	<i>Refresh Rate (Hz)</i>	<i>100Hz</i>
	<i>Blue Light Filter</i>	<i>Yes</i>
	<i>Flicker-Free</i>	<i>yes</i>
	<i>Pixel Size</i>	<i>0.275 mm (H) x 0.275 mm (V)</i>
	<i>Color Gamut</i>	<i>NTSC: 75% size (Typ)</i>
	<i>Surface Treatment</i>	<i>Anti-Glare, Hard Coating (3H)</i>
	<i>PC Resolution (max</i>	<i>1920x1080</i>
	<i>Mac® Resolution (max</i>	<i>1920x1080</i>
	<i>Type C</i>	<i>1</i>
	<i>3.5mm Audio Out</i>	<i>1</i>
	<i>HDMI 1.4</i>	<i>1</i>
	<i>Power in</i>	<i>DC Socket (Center Positive)</i>
	<i>Consumption (max)</i>	<i>25W</i>
	<i>Voltage</i>	<i>AC 100-240V</i>
	<i>Stand-by</i>	<i>0.3W</i>
	<i>Power Supply</i>	<i>External Power Adaptor</i>
	<i>Frequency Horizontal</i>	<i>RGB Analog: 24 ~ 86KHz, HDMI (v1.4): 30 ~ 115KHz</i>
	<i>Frequency Vertical</i>	<i>RGB Analog: 48 ~ 75Hz, HDMI (v1.4): 48 ~ 100Hz</i>
	<i>Include</i>	– 1 Meter HDMI cable or type C cable – Monitor Stand – Anti-Glare Screen
	<i>Lain-lain</i>	<i>Sila nyatakan (jika ada...)</i>